


IFW

1661



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
AMENDMENT AND RESPONSE TO OFFICE ACTION

In RE:

Serial no.: 09/503,380
Filing date: 02/14/2000
Confirmation No. 6523
Title: Chrysanthemum Plant Named '95-157-6'
Inventor: Anderson *et al.*
Group Art Unit: 1661
Examiner: Kent L. Bell
Docket No. BAL6019P0190US


TO: Mail Stop Amendments, Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 22313-1450.

TRANSMITTAL LETTER

The Following documents related to this application are enclosed:

1. Response to Office Communication dated 08/24/2006 (8 Pages) including this page.
2. Substitute Specification and Claim (10 Pages)
3. Marked up copy of Amended Specification (10 Pages)
4. Postcard

Date: 11/07/2006


Signature 
Penny J. Aguirre
Reg. No. 52,546

Penny J. Aguirre
Biological Patent Services, LLC
14015 42nd Ave N
Plymouth, MN 55446-3828
Reg. No. 52,546
Phone: 612-237-6623 Fax: 763-553-9051

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Amendments, Commissioner for Patents. PO Box 1450, Alexandria, VA 22313-1450

On 11/07/2006
Date

Signature 
Penny J. Aguirre, Reg. No. 52,546



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
AMENDMENT AND RESPONSE TO FIRST OFFICE ACTION

In RE:

Serial no.:	11/099,730
Filing date:	04/06/2005
Confirmation No.	9989
Title:	Hosta Plant Named 'Journey's End'
Inventor:	Hans Andrew Hansen
Group Art Unit:	1661
Examiner:	June Hwu
Docket No.	200502

TO: Mail Stop Amendments, Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 22313-1450.

RESPONSE

INTRODUCTORY COMMENTS

Dear Mr. Bell:

This is the Applicant's response to the Office communication dated 08/24/2006. The applicants requests that the original specification and specification and claim as amended on 09/09/2005 specification be cancelled and replaced with the substitute specification and claim included with this response. The marked up amended specification was composed from the original specification with the amendments requested in a reply on 09/09/2005 imported. It is believed that all of the examiner's objections have been addressed either by amendment or by comment in the REMARKS section. No additional fees are believed to be necessary. It is requested that the following amendments be made.